

LED MOON SPOTS



TOTALLUX

MOON Specials

TLX LED SPOTS

CRI:	> 80 RA
Dimensions (a, b):	52 mm, Ø80 mm
Cutting Size:	Ø74 mm
Beam Angles:	24°, 36° (standard), 60°
Finishings:	Matt White, Matt Black, Satin Chrome, Silver, Polished Chrome, Custom RAL/NCS
Glass options:	Clear (standard), Frosted

TLX LEDspot Moon RED/Warm White (Fixed) [TLX6305.xx6-x] *(LED driver on request)*

	RED	Warm White
Color Temperature:	620-630nm	2700K / 3000K
Forward Power:	26-28 V DC	36-38 V DC
Lumen:	275 lm	530 lm
Current, Wattage:	150 mA, 6W	150 mA, 6W

TLX LEDspot Moon BLUE/Warm White (Fixed) [TLX6305.xx7-x] *(LED driver on request)*


	BLUE	Warm White
Color Temperature:	460-470nm	2700K
Forward Power:	36-38 V DC	36-38 V DC
Lumen:	125 lm	530 lm
Current, Wattage:	150 mA, 6W	150 mA, 6W

Connectors

Connector Services

TOTALLUX offers pre-assembled IP-rated (IP20/67) connectors not only for the TLX LED Moon Spot series but also within the complete TLX LED program. With the knowledge and detailing of our LED products, we can advise, offer, assemble and deliver the type of connector needed for your project.

We work with brands like Wago, Wieland, Phoenix, Escha, and many others.



Wago



Wieland



Escha

TOTALLUX

Antennestraat 76 • 1322 AS Almere • The Netherlands
+31 (0)36 529 1756 • info@totallux.nl • www.totallux.nl